L Number	Hits	Search Text	DB	Time stamp
8	327	temporary adj storage with data adj transfer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:45
9	1	serial adj address adj bits with serial adj data adj bits with non$volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:46
10	3	serial adj address adj bits with serial adj data adj bits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 11:51
11	59	serial adj address with serial adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:10
12	0	non$1volatile with program%5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:11
13	0	non$1volatile with program$5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:11
14	5	memory with program$5 with stop adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:14
15	5	transmission adj (complete or end) with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:18
16	9	transmission near (complete or end) with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:19
17	0	transmission near (complete or end or finish) near indicator with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:19
18	12	transmission near (complete or end or finish) near indicator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:21
19	17	stop adj bit adj detecting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:22
20	136	stop adj bit adj detect$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
21	1546	sequential with transfer$4 with stor$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:52

C:\APPS\east\workspaces\09_975420.wsp

22	12	sequential with transfer$4 with stor$4 with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:07
23	64	write adj buffer with (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:15
24	0	write adj buffer with rewrite with (EPROM or EEPROM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:15
25	0	write adj buffer with rewrite with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:15
26	11	buffer with rewrite with non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:33
27	2	first adj group with data adj bits with nonvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:35
28	263	rewrite with data with nonvolatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:03
29	5442	program$5 near non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:04
30	4382	program$5 adj non$1volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:37
31	1	program$5 adj non$1volatile with data adj transfer$4 near control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:38
32	2	program$5 near flash with data adj transfer$4 near control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:38